

Type	Hits	Search Text	DBs	Time Stamp
BRS	578	salt near filter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	152	(salt near filter\$1) and isomers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	0	((salt near filter\$1) and isomers) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	10	((salt near filter\$1) and isomers) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	5807	array with container\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	1350	(array with container\$1) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	0	((array with container\$1) and computer) and (salt adj formers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	397	salt adj formers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	7	((salt adj formers) and computer) and material	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
IS&R	2	("5248699").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	0	investigating adj physical adj forms adj "of material"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	98	investigating adj materials	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	28	(investigating adj materials) and array	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	9	((investigating adj materials) and array) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	0	(((investigating adj materials) and array) and computer) and (heat and temperature)) and resultant	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	0	((((investigating adj materials) and array) and computer) and (heat and temperature)) and byproduct	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	3	(((investigating adj materials) and array) and computer) and (heat and temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	7	(salt adj formers) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	2553	(702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	7469	(422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	2029	(436/50 or 436/174 or 436/177).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	673	(366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	50	564/425.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	12088	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	2533	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) and (material adj testing or investigating or formation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	1	(((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) and (material adj testing or investigating or formation)) and (salt near formers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	786	(422/50 or 436/4).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	3	((422/50 or 436/4).ccls.) and (material near testing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	1	((422/50 or 436/4).ccls.) and (material near testing)) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	12553	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	38	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.) and (material near screening)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	19	(((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.) and (material near screening)) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	17	((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and (material near screening)) and computer and pressure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	17	((((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and (material near screening)) and computer and pressure and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03

Type	Hits	Search Text	DBs	Time Stamp
BRS	3	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or (564/425.cccls.) or ((422/50 or 436/4).cccls.)) and polymorphism) and computer) and samples) and isomers) and filter) and salts) and resultant	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
IS&R	2	(*20030157721).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	2	((*20030157721).PN.) and material	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	1	((*20030157721).PN.) and programmed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	1	((*20030157721).PN.) and sample	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/10/03
BRS	1	(US-20030157721-\$).did.	US-PGPUB	12/11/03
BRS	1	((US-20030157721-\$).did.) and (type same solvent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((US-20030157721-\$).did.) and (timing same solvent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((US-20030157721-\$).did.) and (time same solvent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((US-20030157721-\$).did.) and (duration same solvent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	1	((US-20030157721-\$).did.) and (duration and solvent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	554	366/142.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	25	366/142.cccls. and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	19	((366/142.cccls. and solvent) and material	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	8	((366/142.cccls. and solvent) and material) and solid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((((366/142.cccls. and solvent) and material) and solid) and computer) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	3	((((366/142.cccls. and solvent) and material) and solid) and computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	3	366/142.cccls. and (solvent same computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	1	((US-20030157721-\$).did.) and (computer and solvent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((US-20030157721-\$).did.) and (computer same solvent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	1	((US-20030157721-\$).did.) and (heat or heating)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((US-20030157721-\$).did.) and (agitation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	1	((US-20030157721-\$).did.) and (catalyst)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((US-20030157721-\$).did.) and (temperature and comptuer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	1	((US-20030157721-\$).did.) and (temperature and computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	1	((US-20030157721-\$).did.) and (temperature same computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((US-20030157721-\$).did.) and (filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	1	((US-20030157721-\$).did.) and (porous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	1	((US-20030157721-\$).did.) and (pressure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((US-20030157721-\$).did.) and (material same analysed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((US-20030157721-\$).did.) and (material same analyzed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((US-20030157721-\$).did.) and (analyzed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((US-20030157721-\$).did.) and (analysed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	1	((US-20030157721-\$).did.) and (analysis)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((US-20030157721-\$).did.) and (polymorphs)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((US-20030157721-\$).did.) and (polymorph)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((US-20030157721-\$).did.) and (salts)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	0	((US-20030157721-\$).did.) and (salt)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	1	((US-20030157721-\$).did.) and (first same second)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	1	((US-20030157721-\$).did.) and (predetermined)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03
BRS	1	((US-20030157721-\$).did.) and (predetermined same amount)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/11/03